

Recommended Draft Policy 2017-5 Improved IPv6 Registration Requirements

Leif Sawyer

Recommended Draft Policy ARIN-2017-5



Problem Statement/Goal

 Improve directory registration requirements for IPv6 address assignments.

Authors

Albert Erdmann

AC Shepherds

Leif Sawyer, Chris Tacit

ARIN 2017-5 Why?



- Current ARIN requirements for IPv6 addressing are specified as 'a /64 or more'
- May appear onerous as compared to the equivalent IPv4 registration requirements
- Lack of clarity for directory registration requirements
- Confusing, incorrect policy reference

ARIN 2017-5 Benefits



 Potentially reduces workload, for both ARIN and the registering company.

Relaxed threshold may improve IPv6 take-up.

 Improves the clarity of when the registration is required.

ARIN 2017-5 Implementation Steps



- Add new section 6.5.5.4
 - "Registration Requested by Recipient"
- Correct 6.5.5.2 reference to "4.2.3.7.1"
 - -> "6.5.5.1"
- Remove unnecessary text in 6.5.5.3.1
 - "holding /64 and larger blocks"
- Edit section 6.5.5.1
 - Replace "assignment containing a /64 or more addresses"
 - With "re-allocation, reassignment containing a /47 or more addresses, or subdelegation of any size that will be individually announced,"

ARIN 2017-5 After Cleanup...



• 6.5.5.1. Reassignment information

• Each static IPv6 re-allocation, reassignment containing a /47 or more addresses, or sub-delegation of any size that will be individually announced, shall be registered in the WHOIS directory via SWIP or a distributed service which meets the standards set forth in section 3.2. Reassignment registrations shall include each client's organizational information, except where specifically exempted by this policy.

• 6.5.5.2. Assignments visible within 7 days

• All assignments shall be made visible as required in section 6.5.5.1 within seven calendar days of assignment.

...continued

ARIN 2017-5 After Cleanup pt. 2



• 6.5.5.3. Residential Subscribers

- 6.5.5.3.1. Residential Customer Privacy
 - To maintain the privacy of their residential customers, an organization with downstream residential customers may substitute that organization's name for the customer's name, e.g. 'Private Customer XYZ Network', and the customer's street address may read 'Private Residence'. Each private downstream residential reassignment must have accurate upstream Abuse and Technical POCs visible on the WHOIS record for that block.

• 6.5.5.4. Registration Requested by Recipient

• If the downstream recipient of a static assignment of /64 or more addresses requests publishing of that assignment in ARIN's registration database, the ISP should register that assignment as described in section 6.5.5.1.

ARIN 2017-5 Discussion



- This is a recommended draft policy, and can advance to the board for adoption, if the community decides to do so.
- Do you support the adoption of this policy?
- Should vs Shall?
 - Can this question be addressed after adoption?
 - What are the appropriate consequences for non-compliance of "shall"?
- Any other comments, questions, or concerns?